

Interface[®]

Connectors to Connectivity[®]



Over Three Decades of
Committed Service with
the Widest Range in
Connectors to Connectivity[®]

Extension Cords Catalog

2025/Version01



+91 97399 52969
+91 80 23374773/ 74



sales@icpl.co.in



Yeshwanthpur,
Bangalore-560 022, India

Interface® Extension Cords

Our premium extension cords are designed to provide reliable power wherever you need it. Featuring heavy-duty construction and multiple outlets, these cords ensure safety and efficiency for all your electrical devices. With a range of lengths available, you can easily reach distant outlets without compromising on performance. Ideal for home, office, or outdoor use, our extension cords are the perfect solution for all your power needs.

These assemblies feature durable construction and flexible design, ensuring easy installation and efficient signal transmission. Our manufacturing process is efficient and reliable, ensuring your orders are delivered on time and to your exact specifications. Whether you need to connect printers, smartphones, or laptops, our high-quality cables provide durability and performance you can trust. Trust us for all your manufacturing needs.

Interface® Extension Cords	
Part Number	Description
RCA-9085-XX	C13 to C14 Power Extension Cord, 6 Amps 250V, 0.75 sqmm
RCA-9086-XX	C13 to C14 Power Extension Cord, 10 Amps 250V, 1.00 sqmm
RCA-9105-XX	C13 to C14 Power Extension Cord, 10 Amps 250V, 1.50 sqmm
RCA-9110-XX	C19 to C20 Power Extension Cord, 16 Amps 250V, 1.50 sqmm

HOW TO CHOOSE THE RIGHT USB CABLE.

FINAL PART NUMBER: DESCRIPTION

RCA-XXXX XX

TYPE OF CABLE

RCA-XXXX: XXmm X PIN CABLE
ASSEMBLY STRAIGHT

LENGTH

LENGTH OF CABLE
0.3..... MTRS

RCA-9085, 9186, 9105, 9110 - Type of cable assmbely mentioned in the description


*XX - Length of cable in Meter(s) [0.1 Meter(s), 1.2 Meter(s), 02 Meter(s).....]



Interface® Extension Cords

RCA-9085-XX


Interface® IEC320 C13 to IEC320 C14 Power Extension Cord, 6 Amps 250V, 0.75 sqmm, Black, Black



Connector A	IEC 60320 C13	Colour	Black
Connector B	IEC 60320 C14	Cable Gauge	0.75sqmm 20 AWG
Cable Type	Round	Rated Current	6 Amp

RCA-9086-XX

Interface® IEC320 C13 to IEC320 C14 Power Extension Cord, 10 Amps 250V, 1.00 sqmm, Black, Black




Connector A	IEC 60320 C13	Colour	Black
Connector B	IEC 60320 C14	Cable Gauge	1.00sqmm 18 AWG
Cable Type	Round	Rated Current	10 Amp



Interface® Extension Cords

RCA-9105-XX


Interface® IEC320 C13 to IEC320 C14 Power Extension Cord, 10 Amps 250V, 1.50 sqmm, Black, Black



Connector A	IEC 60320 C13	Colour	Black
Connector B	IEC 60320 C14	Cable Gauge	1.50sqmm 16 AWG
Cable Type	Round	Rated Current	10 Amp

RCA-9110-XX-XXX

Interface® IEC320 C19 to IEC320 C20 Power Extension Cord, 16 Amps 250V, 1.50 sqmm, Black, Black



Connector A	USB 2.0 Type A Male	Colour	Black, Red, Blue
Connector B	Micro B Male	Cable Gauge	1.50sqmm 16 AWG
Cable Type	Round	Rated Current	16 Amp





Website

www.icplindia.com

Head Office and Trading

Address: #81, Unit 3, First Floor,
VV Yoga Saurabha,
S C Road, Yeshwanthpur,
Bangalore -560 022
Karnataka, India

Telephone: +91 80 23374772/ 73

Mobile: +91 97399 52969/ 89706 43550

Email: sales@icpl.co.in

Manufacturing

Address: Bangalore - 560 058
Karnataka, India

Telephone: +91 80 23374772/ 73

Mobile: +91 97399 52969/ 89706 43550

Email: sales@icpl.co.in

