





Kensington®



SD5780T Thunderbolt™ 4 Dual 4K Dock



NA



EU



UK



AP





JP




kensington.com/register


1




2




* USB Battery Charging 1.2-compliant devices







3



4



5

			
Thunderbolt™ 3 / Thunderbolt™ 4 / USB4 (Windows)	8K @ 60Hz*	4K @ 60Hz	1 x 4K up to 120Hz or 1 x 2K up to 240Hz
Thunderbolt™ 3 / Thunderbolt™ 4 / (macOS)	6K @ 60Hz	4K @ 60Hz	
MacBook M1 Pro / Pro Max	6K @ 60Hz	6K @ 60Hz	
USB-C Alt Mode (Windows)	4K @ 60Hz		
MacBook M1 / iPad Pro	6K @ 60Hz		

* Support for Display Stream Compression (DSC) is based on the host device and monitor capabilities.

6

Initial Thunderbolt™ 4 connection for Windows

New Thunderbolt™ device have been attached

Thunderbolt™ devices were attached. In order to approve them for use this application must be run with administrator privileges.
Click OK to run the **Thunderbolt™** software with administrator privileges.

OK

Cancel

6.1

Manage Thunderbolt™ 4 devices and settings later



6.2


View Attached Devices
Approve Attached Devices ▸
Manage Approved Device

Settings
Exit




Sold separately

1




2




< = 13.2lbs
(< = 6.0kg)

Sold separately




Recommended
K65020WW MicroSaver® 2.0 Keyed Lock

Sold separately



Recommended
K64444WW NanoSaver™ Keyed Laptop Lock





www.kensington.com/support

Kensington and the ACCO name and design are registered trademarks of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. ©2022 Kensington Computer Products Group, a division of ACCO Brands. Any unauthorized copying, duplicating, or other reproduction of the contents hereof is prohibited without written consent from Kensington Computer Products Group. All rights reserved. 02/22

