

General Catalogue - Manufacturing Interface Connectronics ISSUE 2026-27/00

*Over three decades of
of committed service
with the widest range
in Connectors to
Connectivity®*

Connect.
Sync.
Scale.

InterFace®
Connectors to Connectivity®

Table of Contents

USB CABLES..... 3-8

USB 2.0 A Male to USB 2.0 B Male.....	3/8
USB 2.0 A Male to USB 2.0 B Male w/ 2 * Ferrite Cores.....	3/8
USB 2.0 A Male to USB Micro B Male.....	4/8
USB 2.0 A Male to USB Mini B Male.....	4/8
USB 2.0 A Male to USB Micro B w/ 2 * Ferrite Cores.....	5/8
USB 2.0 A Male to USB Mini B w/ 2 * Ferrite Cores.....	5/8
USB 2.0 A Male to A Male	6/8
USB 2.0 A Female to USB 2.0 A Female.....	6/8
USB 2.0 A Male to USB 2.0 A Female.....	7/8
USB 2.0 A Male to A Female Panel Mount.....	7/8
USB 2.0 A Male to A Female Panel Mount with Hex Nut and Screw.....	8/8

POWER EXTENSION CORDS..... 9-12

IEC320 C13 to IEC320 C14 Power Extension Cord,6 Amps 250V,0.5 sqmm.....	9/12
IEC320 C13 to IEC320 C14 Power Extension Cord,6 Amps 250V,0.75 sqmm.....	10/12
IEC320 C13 to IEC320 C14 Power Extension Cord,10 Amps 250V,1.00 sqmm.....	11/12
IEC320 C19 to IEC320 C20 Power Extension Cord,16 Amps 250V,1.5 sqmm.....	12/12

USB 2.0 A(M) to B(M) CABLES



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9075-1.5-01	USB-A (M)	USB-B (M)	Straight	1.5 m	Black
RCA-9075-1.8-01	USB-A (M)	USB-B (M)	Straight	1.8 m	Black
RCA-9075-02-01	USB-A (M)	USB-B (M)	Straight	02 m	Black
RCA-9073-2.5-01	USB-A (M)	USB-B (M)	Straight	2.5 m	Black
RCA-9073-03-01	USB-A (M)	USB-B (M)	Straight	03 m	Black
RCA-9077-0.3-01	USB-A (M)	USB-B (M)	Straight	0.3 m	Black
RCA-9077-0.6-01	USB-A (M)	USB-B (M)	Straight	0.6 m	Black
RCA-9077-01-01	USB-A (M)	USB-B (M)	Straight	01 m	Black
RCA-9077-1.2-01	USB-A (M)	USB-B (M)	Straight	1.2 m	Black

USB 2.0 A(M) to B(M) w/ 2 * Ferrite Cores



Highlights

- Supress EMI/ RFI
- Fast Data Transfer
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use
- Medical devices

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-6013-1.5-01	USB-A (M)	USB-B (M)	Straight	1.5 m	Black
RCA-6013-1.8-01	USB-A (M)	USB-B (M)	Straight	1.8 m	Black
RCA-6013-02-01	USB-A (M)	USB-B (M)	Straight	02 m	Black
RCA-6014-0.3-01	USB-A (M)	USB-B (M)	Straight	0.3 m	Black
RCA-6014-0.6-01	USB-A (M)	USB-B (M)	Straight	0.6 m	Black
RCA-6014-01-01	USB-A (M)	USB-B (M)	Straight	1 m	Black
RCA-6014-1.2-01	USB-A (M)	USB-B (M)	Straight	1.2 m	Black
RCA-6015-2.5-01	USB-A (M)	USB-B (M)	Straight	2.5 m	Black
RCA-6015-03-01	USB-A (M)	USB-B (M)	Straight	3 m	Black

USB 2.0 A(M) to Micro B(M)



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9078-2.5-01	USB-A (M)	USB Micro B (M)	Straight	2.5 m	Black
RCA-9078-03-01	USB-A (M)	USB Micro B (M)	Straight	3 m	Black
RCA-9079-1.5-01	USB-A (M)	USB Micro B (M)	Straight	1.5 m	Black
RCA-9079-1.8-01	USB-A (M)	USB Micro B (M)	Straight	1.8 m	Black
RCA-9079-02-01	USB-A (M)	USB Micro B (M)	Straight	2 m	Black
RCA-9092-0.3-01	USB-A (M)	USB Micro B (M)	Straight	0.3 m	Black
RCA-9092-1.6-01	USB-A (M)	USB Micro B (M)	Straight	0.6 m	Black
RCA-9092-01-01	USB-A (M)	USB Micro B (M)	Straight	1 m	Black
RCA-9092-1.2-01	USB-A (M)	USB Micro B (M)	Straight	1.2 m	Black

USB 2.0 A(M) to Mini B(M)



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-6006-2.5-01	USB-A (M)	USB Mini B (M)	Straight	2.5 m	Black
RCA-6006-03-01	USB-A (M)	USB Mini B (M)	Straight	3 m	Black
RCA-9088-1.5-01	USB-A (M)	USB Mini B (M)	Straight	1.5 m	Black
RCA-9088-1.8-01	USB-A (M)	USB Mini B (M)	Straight	1.8 m	Black
RCA-9088-02-01	USB-A (M)	USB Mini B (M)	Straight	2 m	Black
RCA-9089-0.3-01	USB-A (M)	USB Mini B (M)	Straight	0.3 m	Black
RCA-9089-0.6-01	USB-A (M)	USB Mini B (M)	Straight	0.6 m	Black
RCA-9089-01-01	USB-A (M)	USB Mini B (M)	Straight	1 m	Black
RCA-9089-1.2-01	USB-A (M)	USB Mini B (M)	Straight	1.2 m	Black

USB 2.0 A(M) to USB Micro B w/ 2 * Ferrite Cores



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-6034-2.5-01	USB-A (M)	USB Micro B(M)	Straight	2.5 m	Black
RCA-6034-03-01	USB-A (M)	USB Micro B(M)	Straight	3 m	Black
RCA-6035-1.5-01	USB-A (M)	USB Micro B(M)	Straight	1.5 m	Black
RCA-6035-1.8-01	USB-A (M)	USB Micro B(M)	Straight	1.8 m	Black
RCA-6035-02-01	USB-A (M)	USB Micro B(M)	Straight	2 m	Black
RCA-6036-0.3-01	USB-A (M)	USB Micro B(M)	Straight	0.3 m	Black
RCA-6036-0.6-01	USB-A (M)	USB Micro B(M)	Straight	0.6 m	Black
RCA-6036-01-01	USB-A (M)	USB Micro B(M)	Straight	1 m	Black
RCA-6036-1.2-01	USB-A (M)	USB Micro B(M)	Straight	1.2 m	Black

USB 2.0 A(M) to USB Mini B w/ 2 * Ferrite Cores



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-6031-2.5-01	USB-A (M)	USB Mini B (M)	Straight	2.5 m	Black
RCA-6031-03-01	USB-A (M)	USB Mini B (M)	Straight	3 m	Black
RCA-6032-1.5-01	USB-A (M)	USB Mini B (M)	Straight	1.5 m	Black
RCA-6032-1.8-01	USB-A (M)	USB Mini B (M)	Straight	1.8 m	Black
RCA-6032-02-01	USB-A (M)	USB Mini B (M)	Straight	2 m	Black
RCA-6033-0.3-01	USB-A (M)	USB Mini B (M)	Straight	0.3 m	Black
RCA-6033-0.6-01	USB-A (M)	USB Mini B (M)	Straight	0.6 m	Black
RCA-6033-01-01	USB-A (M)	USB Mini B (M)	Straight	1 m	Black
RCA-6033-1.2-01	USB-A (M)	USB Mini B (M)	Straight	1.2 m	Black

USB 2.0 A(M) to A(M)



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9099-0.3-01	USB-A (M)	USB A (M)	Straight	0.3 m	Black
RCA-9099-0.6-01	USB-A (M)	USB A (M)	Straight	0.6 m	Black
RCA-9099-01-01	USB-A (M)	USB A (M)	Straight	01 m	Black
RCA-9099-1.2-01	USB-A (M)	USB A (M)	Straight	1.2 m	Black
RCA-9100-1.5-01	USB-A (M)	USB A (M)	Straight	1.5 m	Black
RCA-9100-1.8-01	USB-A (M)	USB A (M)	Straight	1.8 m	Black
RCA-9100-02-01	USB-A (M)	USB A (M)	Straight	2 m	Black
RCA-9101-2.5-01	USB-A (M)	USB A (M)	Straight	2.5 m	Black
RCA-9101-03-01	USB-A (M)	USB A (M)	Straight	3 m	Black

USB 2.0 A(F) to A(F)



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-6008-0.3-01	USB-A (F)	USB-A (F)	Straight	0.3 m	Black
RCA-6008-0.6-01	USB-A (F)	USB-A (F)	Straight	0.6 m	Black
RCA-6008-01-01	USB-A (F)	USB-A (F)	Straight	1 m	Black
RCA-6008-1.2-01	USB-A (F)	USB-A (F)	Straight	1.2 m	Black
RCA-9062-2.5-01	USB-A (F)	USB-A (F)	Straight	2.5 m	Black
RCA-9062-03-01	USB-A (F)	USB-A (F)	Straight	3 m	Black
RCA-9113-1.5-01	USB-A (F)	USB-A (F)	Straight	1.5 m	Black
RCA-9113-1.8-01	USB-A (F)	USB-A (F)	Straight	1.8 m	Black
RCA-9113-02-01	USB-A (F)	USB-A (F)	Straight	2 m	Black

USB 2.0 A(M) to A(F)



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-6005-0.3-01	USB-A (M)	USB A (F)	Straight	0.3 m	Black
RCA-6005-0.6-01	USB-A (M)	USB A (F)	Straight	0.6 m	Black
RCA-6005-01-01	USB-A (M)	USB A (F)	Straight	01 m	Black
RCA-6005-1.2-01	USB-A (M)	USB A (F)	Straight	1.2 m	Black
RCA-9096-1.5-01	USB-A (M)	USB A (F)	Straight	1.5 m	Black
RCA-9096-1.8-01	USB-A (M)	USB A (F)	Straight	1.8 m	Black
RCA-9096-02-01	USB-A (M)	USB A (M)	Straight	2 m	Black
RCA-9123-2.5-01	USB-A (M)	USB A (M)	Straight	2.5 m	Black
RCA-9123-03-01	USB-A (M)	USB A (M)	Straight	3 m	Black

USB 2.0 A(M) to A(F) Panel Mount



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-7003-2.5-01	USB-A (M)	A (F) Panel Mount	Straight	2.5 m	Black
RCA-7003-03-01	USB-A (M)	A (F) Panel Mount	Straight	3 m	Black
RCA-9121-1.5-01	USB-A (M)	A (F) Panel Mount	Straight	1.5m	Black
RCA-9121-1.8-01	USB-A (M)	A (F) Panel Mount	Straight	1.8 m	Black
RCA-9121-02-01	USB-A (M)	A (F) Panel Mount	Straight	2 m	Black
RCA-9122-0.3-01	USB-A (M)	A (F) Panel Mount	Straight	0.3 m	Black
RCA-9122-0.6-01	USB-A (M)	A (F) Panel Mount	Straight	0.6 m	Black
RCA-9122-01-01	USB-A (M)	A (F) Panel Mount	Straight	1 m	Black
RCA-9122-1.2-01	USB-A (M)	A (F) Panel Mount	Straight	1.2 m	Black

USB 2.0 A(M) to A(F) Panel Mount with Hexnut and Screw



Highlights

- Fast Data Transfer
- Efficient Charging
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Printers
- Scanners
- Office use

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-7000-0.3-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	0.3 m	Black
RCA-7000-0.6-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	0.6 m	Black
RCA-7000-01-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	01 m	Black
RCA-7000-1.2-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	1.2 m	Black
RCA-7004-1.5-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	1.5 m	Black
RCA-7004-1.8-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	1.8 m	Black
RCA-7004-02-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	2 m	Black
RCA-7005-2.5-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	2.5 m	Black
RCA-7005-03-01	USB-A (M)	A (F) PanelMount with Hexnut and screw	Straight	3 m	Black

IEC320 C13 to IEC320 C14 Power Extension Cord, 6 Amps 250V, 0.5 sqmm, Black



Highlights

- Efficient Power Transfer
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Data Center
- Power Supply
- Office use
- Medical Equipment

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9105-0.3-01	IEC 60320 C13	IEC 60320 C14	Straight	0.3 m	Black
RCA-9105-0.6-01	IEC 60320 C13	IEC 60320 C14	Straight	0.6 m	Black
RCA-9105-01-01	IEC 60320 C13	IEC 60320 C14	Straight	01 m	Black
RCA-9105-1.2-01	IEC 60320 C13	IEC 60320 C14	Straight	1.2 m	Black
RCA-9105-1.5-01	IEC 60320 C13	IEC 60320 C14	Straight	1.5 m	Black
RCA-9105-1.8-01	IEC 60320 C13	IEC 60320 C14	Straight	1.8 m	Black
RCA-9105-02-01	IEC 60320 C13	IEC 60320 C14	Straight	2 m	Black
RCA-9105-2.5-01	IEC 60320 C13	IEC 60320 C14	Straight	2.5 m	Black
RCA-9105-03-01	IEC 60320 C13	IEC 60320 C14	Straight	3 m	Black
RCA-9105-05-01	IEC 60320 C13	IEC 60320 C14	Straight	5 m	Black
RCA-9105-08-01	IEC 60320 C13	IEC 60320 C14	Straight	8 m	Black
RCA-9105-10-01	IEC 60320 C13	IEC 60320 C14	Straight	10 m	Black

IEC320 C13 to IEC320 C14 Power Extension Cord, 6 Amps 250V, 0.75 sqmm, Black



Highlights

- Efficient Power Transfer
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Data Center
- Power Supply
- Office use
- Medical Equipment

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9085-0.3-01	IEC 60320 C13	IEC 60320 C14	Straight	0.3 m	Black
RCA-9085-0.6-01	IEC 60320 C13	IEC 60320 C14	Straight	0.6 m	Black
RCA-9085-01-01	IEC 60320 C13	IEC 60320 C14	Straight	01 m	Black
RCA-9085-1.2-01	IEC 60320 C13	IEC 60320 C14	Straight	1.2 m	Black
RCA-9085-1.5-01	IEC 60320 C13	IEC 60320 C14	Straight	1.5 m	Black
RCA-9085-1.8-01	IEC 60320 C13	IEC 60320 C14	Straight	1.8 m	Black
RCA-9085-02-01	IEC 60320 C13	IEC 60320 C14	Straight	2 m	Black
RCA-9085-2.5-01	IEC 60320 C13	IEC 60320 C14	Straight	2.5 m	Black
RCA-9085-03-01	IEC 60320 C13	IEC 60320 C14	Straight	3 m	Black
RCA-9085-05-01	IEC 60320 C13	IEC 60320 C14	Straight	5 m	Black
RCA-9085-08-01	IEC 60320 C13	IEC 60320 C14	Straight	8 m	Black
RCA-9085-10-01	IEC 60320 C13	IEC 60320 C14	Straight	10 m	Black

IEC320 C13 to IEC320 C14 Power Extension Cord, 10 Amps 250V, 1.00 sqmm, Black



Highlights

- Efficient Power Transfer
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Data Center
- Power Supply
- Office use
- Medical Equipment

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9086-0.3-01	IEC 60320 C13	IEC 60320 C14	Straight	0.3 m	Black
RCA-9086-0.6-01	IEC 60320 C13	IEC 60320 C14	Straight	0.6 m	Black
RCA-9086-01-01	IEC 60320 C13	IEC 60320 C14	Straight	01 m	Black
RCA-9086-1.2-01	IEC 60320 C13	IEC 60320 C14	Straight	1.2 m	Black
RCA-9086-1.5-01	IEC 60320 C13	IEC 60320 C14	Straight	1.5 m	Black
RCA-9086-1.8-01	IEC 60320 C13	IEC 60320 C14	Straight	1.8 m	Black
RCA-9086-02-01	IEC 60320 C13	IEC 60320 C14	Straight	2 m	Black
RCA-9086-2.5-01	IEC 60320 C13	IEC 60320 C14	Straight	2.5 m	Black
RCA-9086-03-01	IEC 60320 C13	IEC 60320 C14	Straight	3 m	Black
RCA-9086-05-01	IEC 60320 C13	IEC 60320 C14	Straight	5 m	Black
RCA-9086-08-01	IEC 60320 C13	IEC 60320 C14	Straight	8 m	Black
RCA-9086-10-01	IEC 60320 C13	IEC 60320 C14	Straight	10 m	Black

IEC320 C19 to IEC320 C20 Power Extension Cord, 16 Amps 250V, 1.5 sqmm



Highlights

- Efficient Power Transfer
- Durable Construction
- Universal Compatibility
- Customised length

Application

- Data Center
- Power Supply
- Office use
- Medical Equipment

Part Number	Connector A	Connector B	Style	Length	Colour
RCA-9110-0.3-01	IEC 60320 C19	IEC 60320 C20	Straight	0.3 m	Black
RCA-9110-0.6-01	IEC 60320 C19	IEC 60320 C20	Straight	0.6 m	Black
RCA-9110-01-01	IEC 60320 C19	IEC 60320 C20	Straight	01 m	Black
RCA-9110-1.2-01	IEC 60320 C19	IEC 60320 C20	Straight	1.2 m	Black
RCA-9110-1.5-01	IEC 60320 C19	IEC 60320 C20	Straight	1.5 m	Black
RCA-9110-1.8-01	IEC 60320 C19	IEC 60320 C20	Straight	1.8 m	Black
RCA-9110-02-01	IEC 60320 C19	IEC 60320 C20	Straight	2 m	Black
RCA-9110-2.5-01	IEC 60320 C19	IEC 60320 C20	Straight	2.5 m	Black